
Lake Profile Brief

This is based on the results of Multiple Lake Threat Assessment and its Scenario Analysis. Refer to the Technical Report for details.



Lake Albert

Geographic Information Lake Albert, Africa's seventh largest lake, is located approximately in the center of the African continent, being one of the East African Great Lakes. Its upstream water sources include Lake Victoria. Because of a high evaporation rate, its waters are somewhat saline. Compared to some other lakes in the region (e.g., Malawi/Nyasa, Tanganyika, Victoria), Lake Albert has not received as much attention, with information on its scientific and management challenges being rather sparse. Nevertheless, the riparian population is facing increasing serious environmental challenges, an example being emerging oil exploration projects posing some politically-volatile challenges for Lake Albert. In regard to possible management interventions, joint implementation with Lake Edward could be an option.



TWAP Regional Designation	Eastern & Southern Africa; Western & Middle Africa	
River Basin	Nile	
Riparian Countries	Democratic Republic of	
Riparian Countries	Congo, Uganda	
Basin Area (km²)	331,660	
Lake Area (km²)	5,502	
Lake Area:Lake Basin	0.014	
Ratio	0.014	

Lake Basin Population (2010)	70,651,448
Lake Basin Population Density (2010; # km ⁻²)	186.6
Average Basin Precipitation (mm yr ⁻¹)	1,197
Shoreline Length (km)	1,157
Human Development Index (HDI)	0.41
International Treaties/Agreements Identifying Lake	No

























Lake Albert Basin Characteristics



(a) Lake Albert basin and associated transboundary water systems



(b) Lake Albert basin land use

























Lake Albert Threat Ranking

A serious lack of global-scale uniform data on the TWAP transboundary in-lake conditions required their potential threat risks be estimated on the basis of the characteristics of their drainage basins, rather than in-lake conditions. Using basin characteristics to rank transboundary lake threats precludes consideration of the unique features that can buffer their in-lake responses to basin-derived disturbances, including an integrating nature for all inputs, long water retention times, and complex, non-linear response dynamics.

The lake threat ranks were calculated with a spreadsheet-based interactive scenario analysis program, incorporating data and information about the nature and magnitude of their basin-derived stresses, and their possible impacts on the sustainability of their ecosystem services. These descriptive data for Lake Albert and the other transboundary lakes included lake and basin areas, population numbers and densities, areal extent of basin stressors on the lake, data grid size, and other components considered important from the perspective of the user of the data results. The scenario analysis program also provides a means to define the appropriate context and preconditions for interpreting the ranking results.

The Lake Albert threat ranks are expressed in terms of the Adjusted Human Water Security (Adj-HWS) threats, Reverse Biodiversity (RvBD) threats, and the Human Development Index (HDI) score, as well as combinations of these indices. However, it is emphasized that, being based on specific characteristics and assumptions regarding Lake Albert and its basin characteristics, the calculated threat scores represent only one possible set of lake threat rankings. Defining the appropriate context and preconditions for interpreting the lake rankings remains an important responsibility of those using the threat ranking results, including lake managers and decision-makers.

Table 1. Lake Albert Relative Threat Ranks, Based on Adjusted Human Water Security (Adj-HWS) and Reverse Biodiversity Threats, and Human Development Index (HDI) Score

(Estimated risks: red – highest; orange – moderately high; yellow – medium; green – moderately low; blue – low)

Adjusted Human Water Security (Adj-HWS) Threat Score	Relative Adj-HWS Threat Rank	Reverse Biodiversity (RvBD) Threat Score	Relative RvBD Threat Rank	Human Development Index (HDI) Score	Relative HDI Rank
0.91	10	0.63	24	0.46	20

It is emphasized that the Lake Albert rankings above are discussed here within the context of the management and decision-making process, rather than as strict numerical ranks. Based on its geographic, population and socioeconomic assumptions used in the scenario analysis program, the calculated Adj-HWS score for Lake Albert indicates a moderately high threat rank compared to other priority transboundary lakes.

The Reverse Biodiversity (RvBD) for Lake Albert, which is meant to describe its biodiversity sensitivity to basin-derived degradation, places the lake in a high threat rank, compared to the other transboundary lakes. Management interventions directed to improving the biodiversity status must be viewed with



















THE MEADOWS CENTER
FOR WATER AND THE ENVIRONMENT
TEXAS STATE UNIVERSITY



caution, however, since we lack sufficient knowledge and experience to accurately predict the ultimate impacts of biodiversity manipulations and preservation efforts. Further, the RvBD scores indicate the relative sensitivity of a lake basin to human activities, and high threat scores *per se* do not necessarily justify management interventions. Such interventions may actually increase biodiversity degradation, noting that many developed countries have already fundamentally degraded their biodiversity because of economic development activities. Thus, activities undertaken to address the Adj-HWS threats may actually degrade the biodiversity status and resources, even if the health and socioeconomic conditions of the lake basin stakeholders are improved as a result of better conditions, thereby increasing stakeholder resource consumption.

The relative Human Development Index (HDI) places the Lake Albert basin in a moderately high threat rank in regard to its health, educational and economic status.

Table 2. Lake Albert Threat Ranks, Based on Multiple Ranking Criteria

(Scores for Adj-HWS, RvBD and HDI ranks are presented in Table 1; the ranks may differ in some cases because of rounding of figures; Estimated risks: red – highest; orange – moderately high; yellow – medium; green – moderately low; blue – low)

Adj- HWS Rank	HDI Rank	RvBD Rank	Sum Adj- HWS + RvBD	Relative Threat Rank	Sum Adj- HWS + HDI	Relative Threat Rank	Sum Adj- HWS + RvBD + HDI	Overall Threat Rank
10	19	24	34	15	29	12	53	17

When multiple ranking criteria are considered together in the threat rank calculations, the Adj-HWS and HDI scores considered together place Lake Albert in the upper one-third of the threat ranks. The relative threat is increased when the Adj-HWS and RvBD threats are considered together. Considering all three ranking criteria together, Lake Albert exhibits a moderately high threat ranking.

Further, a series of parametric sensitivity analyses of the ranking results also was performed to determine the effects of changing the importance of specific criteria on the relative transboundary lake rankings. This analysis involved increasing or decreasing the weights applied to the threat ranks derived from multiple ranking criteria to reassess the relative impacts of the weight combinations on the threat ranks. For example, in determining the sensitivity of the Adjusted Human Water Security (Adj-HWS) and Biodiversity (BD) ranking criteria, the threat rank associated with the first was assumed to be of complete (100%) importance (i.e., rank weight of 1.0), while the other was assumed to be of no (0%) importance (i.e., rank weight of 0.0). The relative importance of the two ranking criteria was then successively changed, with weight combinations of 0.9 and 0.1, 0.8 and 0.2, etc., until the first ranking criteria (Adj-HWS) was assumed to be of no importance (rank weight of 0.0) and the second (BD) was of complete importance (rank weight of 1.0). In the case of Lake Albert, the 0.5 and 0.5 weight combinations for three cases of parametric analysis for Lake Albert resulted in respective threat rankings of 6th, 11th and 4th, respectively, among the total of 23 African transboundary lakes in the TWAP study (see Technical Report, Section 4.3.3, pp44-49).

In essence, therefore, identifying potential management intervention needs for Lake Albert must be considered on the basis of both educated judgement and accurate representations of its situation. A fundamental question to be addressed, therefore, is how can one decide that a given management intervention will produce the greatest benefit(s) for the greatest number of people in the Lake Albert























basin? Accurate answers to such questions for Lake Albert, and other transboundary lakes, will require a case-by-case assessment approach that considers the specific lake situation and context, the anticipated improvements from specific management interventions, and its interactions with water systems to which the lake is linked. To this end, it is noted that the African transboundary lakes as a group merit special attention in regard to management interventions, with some lakes requiring more immediate attention than others.



















